



NTN BEARING USA CORP.



50 mm x 90 mm x 30.2 mm skf 3210 A-2RS1
Double row angular contact ball bearings

Bearing No. 3210 A-2RS1

3210 A-2RS1 Bearing 2D drawings and 3D CAD models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.711
EAN	7316573931188
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 3 ISO P6
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	50MM Bore; 90MM Outside Diameter; 30.2MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 3 ISO P6; No Filling Slot; No Snap Ring



NTN BEARING USA CORP.

Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	5210 A-2RS1
Weight / LBS	1.455
d	1.969 Inch 50 Millimeter
B	1.189 Inch 30.2 Millimeter
D	3.543 Inch 90 Millimeter
bore diameter:	50 mm
radial static load capacity:	39 kN
outside diameter:	90 mm
operating temperature range:	-40 to +210 ° F
overall width:	1.1875 in
outer ring width:	30.2 mm
contact angle:	30 °
maximum rpm:	4800 RPM
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	Not Rated
closure type:	Double Seal
fillet radius:	1 mm
radial dynamic load capacity:	51 kN
series:	32
d	50 mm
D	90 mm
B	30.2 mm



NTN BEARING USA CORP.

d_2	57.8 mm
D_2	82.1 mm
$r_{1,2}$ min.	1.1 mm
a	52 mm
d_a min.	57 mm
d_a max.	57.5 mm
D_a max.	83 mm
r_a max.	1 mm
Basic dynamic load rating C	51 kN
Basic static load rating C_0	42.5 kN
Fatigue load limit P_u	1.8 kN
Limiting speed	4800 r/min
Calculation factor k_f	0.06
Calculation factor e	0.8
Calculation factor X	0.63
Calculation factor Y_0	0.66
Calculation factor Y_1	0.78
Calculation factor Y_2	1.24
Mass bearing	0.65 kg